



HOSHIZAKI

ICE MACHINES
DISPENSERS
STORAGE BINS
DISPLAY CASES
REACH-INS

“A Superior Degree of Reliability”
www.hoshizakiamerica.com

Item #40071 | 2/24/2015



CUBER SERIES



AM-50BAE(-AD)DS

Hoshizaki offers a complete line of cubers producing up to 2400 pounds of ice within a 24-hour period.

The AM Cuber features a stainless steel finish and fewer moving parts for longer life. The AM-50 is available with swing style field reversible door and fits conveniently into standard cabinetry and is UL approved for outdoor use. The AM-50BAE-AD is ADA approved height.

The KM Cuber Series features an attractive stainless steel exterior finish and a double-sided evaporator with an oval shaped copper refrigerant tubing between two stainless steel plates for the most efficient heat exchange. The exclusive evaporator design freezes the purest water, resulting in crystal clear crescent cubes.



KM-151BAH



KMD-460MAH
Lancer IBD30 Dispenser



KMS-140IMLJ
Lancer FS30 Dispenser



KML-451MAH
B-500SF

CUBER ICE USAGE GUIDE

Establishment	Approximate Daily Usage
Restaurant	1.5 lbs. ice per seat
Cocktail Lounge	3.0 lbs. ice per seat
Lodging	
Food Service	1.5 lbs. ice per seat
Banquet Service	1.0 lbs. ice per seat
Guest Ice	5.0 lbs. ice per room
Beverage Service	5.0 oz. ice per 7 - 10 oz. cup
Convenience Store	8.0 oz. ice per 12 - 16 oz. cup
Fast Food	10.0 oz. ice per 20 - 32 oz. cup
Salad Bar / Seafood Display	30 lbs. ice per cubic feet

MODEL	DIMENSIONS (W x D x H)	CONDENSER	PRODUCTION
-------	------------------------	-----------	------------

SELF-CONTAINED CUBERS WITH BUILT-IN BINS

AM-50BAE(-DS)**	14 7/8" x 22 5/8" x 33 1/2"	A	55 lbs.
AM-50BAE-AD(-DS)**	14 7/8" x 22 5/8" x 31 1/2"	A	55 lbs.
KM-61BAH	17 3/4" x 24" x 39"*	A	71 lbs.
KM-101BAH	23 3/4" x 24" x 39"*	A	115 lbs.
KM-151B_H	23 3/4" x 28" x 39"*	A,W	146, 146 lbs.
KM-201B_H	24" x 28" x 39"*	A,W	201, 215 lbs.
KM-260B_H	30" x 28" x 39"*	A,W	263, 268 lbs.

*height includes 6" legs

** -DS - Full overlay door panel - designed to accommodate custom cabinetry

MODULAR CRESCENT CUBERS / DISPENSER APPLICATION

KMD-410M_H	22 1/4" x 24 1/8" x 24"	A,W	415, 440 lbs.
KMD-450MWH	30" x 24 1/4" x 22 1/8"	W	460 lbs.
KMD-460MAH	30" x 24 1/4" x 22 1/8"	A	457 lbs.
KMD-850M_H	30" x 24 5/8" x 28"	A,W,R	772, 780, 785 lbs.
KMD-901M_H	30" x 24 5/8" x 28"	W,R	876, 848 lbs.

SERENITY SERIES CRESCENT CUBERS / DISPENSER APPLICATION

KMS-822MLH	22" x 24 5/8" x 28"	R	839 lbs.
KMS-830MLH	30" x 16 1/2" x 29"	R	820, 791 lbs.
KMS-1122MLH	22" x 18" x 31 1/4"	R / 3ø	1100, 1120 lbs.
KMS-1401MLJ	30" x 24" x 28"	R / 3ø	1420, 1400 lbs.
KMS-2000MLH	30" x 24" x 32 7/8"	R / 3ø	1861, 1910 lbs.

LOW-PROFILE CRESCENT CUBERS

KML-250M_H	30" x 27 3/8" x 22"	A,W	307, 314 lbs.
KML-351M_H	30" x 27 3/8" x 22"	A,W	333, 349 lbs.
KML-451M_H	30" x 27 3/8" x 22"	A,W	401, 429 lbs.
KML-631M_H	30" x 27 3/8" x 26"	A,W,R	605, 671, 645 lbs.

A = AIR

W = WATER

R = REMOTE

1ø = 1 PHASE

3ø = 3 PHASE

All KM cubers feature the CycleSaver™ design and the EverCheck™ control board. The CycleSaver™ design allows Hoshizaki cubers to produce the same quantity of ice in about half as many cycles as competitive ice machines. Fewer cycles add-up to longer life and less maintenance than competitive units. The EverCheck™ control board sounds an audible alert when the machine is in need of service. This feature assists in diagnosis and minimizes down-time.

Additionally, the stainless steel construction of the evaporator means years of trouble-free ice-making. Because it is not affected by caustic water conditions, there is no plating to peel or flake and no plastic to crack. The Hoshizaki icemaking system is the simplest in the industry. It has fewer moving parts and fewer cycles which increases dependability, machine life and energy savings.

Hoshizaki Ice Machines and Dispensers also feature H-GUARD Plus Antimicrobial Agent.



KM-320MAH



KM-600MAH (115V)



KM-130ISRH



IM-500SAA

MODEL	DIMENSIONS (W x D x H)	CONDENSER	PRODUCTION
MODULAR CRESCENT CUBERS			
KM-320M_H	22" x 27 3/8" x 30 5/16"	A, W	310, 352 lbs.
KM-515M_H	22" x 27 3/8" x 30 5/16"	A, W, R	527, 462, 491 lbs.
KM-515M_H-P	22" x 27 3/8" x 30 5/16"	A, W	527, 462 lbs.
KM-600MAH (115V)	22" x 27 3/8" x 37 1/2"	A	592 lbs.
KM-650M_H	22" x 27 3/8" x 37 1/2"	A, W, R	661, 669, 632 lbs.
KM-901M_H	30" x 27 3/8" x 37 7/16"	A, W, R	920, 928, 889 lbs.
KM-901M_H-P	30" x 27 3/8" x 37 7/16"	A, W	920, 928 lbs.
KM-901MRH3	30" x 27 3/8" x 37 7/16"	R / 3ø	899 lbs.
KM-1340M_H	30" x 27 3/8" x 41 1/2"	A, W, R	1325, 1329, 1401 lbs.
KM-1601MRH(3)	30" x 27 3/8" x 41 11/16"	R / 1ø, 3ø	1493, 1486 lbs.

"-E" models for KM-280M, 500M, 630M, 901M, 1301S with air-cooled condensers available in 220v/50hz

Ice production at 70°F Air / 50°F Water

(-P) Exterior fasteners are tamper proof torx pin screws

LOW-PROFILE CRESCENT CUBERS / MARINE APPLICATION

KM-1400SWH-M(3)	48" x 27 3/8" x 27 3/8"	W / 3ø	1370, 1343 lbs.
------------------------	-------------------------	--------	-----------------

STACKABLE CRESCENT CUBERS

KM-1301S_H	48" x 27 3/8" x 27 3/8"	A, W, R	1329, 1318, 1353 lbs.
KM-1301S_H-P	48" x 27 3/8" x 27 3/8"	A, W	1329, 1290 lbs.
KM-1301S_H3	48" x 27 3/8" x 27 3/8"	A, W, R / 3ø	1298, 1248, 1339 lbs.
KM-1601S_H	48" x 27 3/8" x 27 3/8"	A, W, R	1462, 1492, 1531 lbs.
KM-1601S_H3	48" x 27 3/8" x 27 3/8"	A, W, R / 3ø	1456, 1555, 1530 lbs.
KM-1900S_H	48" x 27 3/8" x 36 7/16"	A, W, R	1867, 1876, 1857 lbs.
KM-1900S_H-P	48" x 27 3/8" x 36 7/16"	A, W	1867, 1919 lbs.
KM-1900S_H3	48" x 27 3/8" x 36 7/16"	A, W, R / 3ø	1859, 1825, 1903 lbs.
KM-2100S_H3	48" x 27 3/8" x 36 7/16"	W, R / 3ø	2096, 2034 lbs.
KM-2500S_H3	48" x 27 3/8" x 36 7/16"	W, R / 3ø	2429, 2424 lbs.

(-P) Exterior fasteners are tamper proof torx pin screws

HIGH CAPACITY STACKABLE CRESCENT CUBERS

KMH-2000S_H(3)	36" x 40" x 36 7/16"	W, R / 1ø, 3ø	1843, 1861, 1944, 1929 lbs.
-----------------------	----------------------	---------------	-----------------------------

1M SQUARE CUBER

IM-500SAA	44" x 27 5/8" x 21 3/4"	A	500 lbs.
------------------	-------------------------	---	----------

A = AIR

W = WATER

R = REMOTE

1ø = 1 PHASE

3ø = 3 PHASE

FLAKER SERIES



C-101BAH

Hoshizaki flaked icemakers are designed for dependability. The attractive stainless steel exterior provides long life and easy maintenance. The internal auger design produces the highest quality ice with fewer repairs and less down time. This design also contributes to low power consumption, resulting in an energy efficient unit.

The modular flakers feature the Advanced CleanCycle24® design, which keeps the evaporator barrel clean by performing a 2 second rinse every hour. The self-contained flakers are designed to flush the system automatically every time the bin control is activated. Most models are also available with our cubelet ice.



F-330BAH



F-450MAH



FD-650MAH-C



F-200IMRH

MODEL	DIMENSIONS (W x D x H)	CONDENSER	PRODUCTION
SELF-CONTAINED FLAKERS WITH BUILT-IN BINS			
F-300BAF	36" x 24" x 39"*	A	303 lbs.
F-330BAH	24" x 26" x 39"*	A	330 lbs.
F-500BAF	38" x 29" x 42"*	A	501 lbs.

*height includes 6" legs

MODULAR FLAKERS			
F-450MAH	22" x 27 3/8" x 22"	A	493 lbs.
F-80IM_H	22" x 27 3/8" x 25 15/16"	A,W	795, 665 lbs.
F-100IM_J	22" x 27 3/8" x 25 15/16"	A,W,R	970, 890, 930 lbs.
F-100IMLJ	22" x 27 3/8" x 25 15/16"	Parallel Rack System	(1150 lbs.)
F-150IM_H	30" x 27 1/2" x 34 7/16"	A,W,R	1590, 1435, 1585 lbs.
F-200IMRH(3)	30" x 27 1/2" x 34 7/16"	R / 1ø, 3ø	1990, 2010 lbs.
F-200IMLH	30" x 27 1/2" x 34 7/16"	Parallel Rack System	(2280 lbs.)
F-200IMWH	30" x 27 1/2" x 34 7/16"	W	2030 lbs.

SELF-CONTAINED CUBELET WITH BUILT-IN BINS			
C-101BAH(-DS)**	14 7/8" x 22 5/8" x 33 1/2"	A	92 lbs.
C-101BAH-AD(-DS)**	14 7/8" x 22 5/8" x 31 1/2"	A	92 lbs.
F-330BAH-C	24" x 26" x 39"*	A	320 lbs.

*height includes 6" legs

** -DS - Full overlay door panel - designed to accommodate custom cabinetry

MODULAR CUBELET			
F-450MAH-C	22" x 27 3/8" x 22"	A	431 lbs.
FD-650M_H-C	22" x 24" x 26"	A,W,R	650, 615, 590 lbs.
F-80IM_H-C	22" x 27 3/8" x 25 15/16"	A,W	728, 630 lbs.
F-100IM_J-C	22" x 27 3/8" x 25 15/16"	A,W,R	910, 790, 840 lbs.
FD-100IM_J-C	22" x 24" x 26"	A, R	940, 930 lbs.
FS-100IMLH-C	30" x 11" x 26"	R	830 lbs.
FS-1022MLH-C	30" x 16 1/2" x 26"	R	830 lbs.
F-150IM_H-C	30" x 27 1/2" x 34 7/16"	A,W,R	1300, 1125, 1335 lbs.
FS-1500MLH-C	30" x 16 1/2" x 33"	R	1491 lbs.
F-200IMRH-C	30" x 27 1/2" x 34 7/16"	R	1814 lbs.

A = AIR

W = WATER

R = REMOTE

1ø = 1 PHASE

3ø = 3 PHASE

DISPENSERS & ICE STORAGE BINS



The Hoshizaki crescent cube vending dispensers feature a built-in insulated storage bin with a "U"-Shaped design and three dimensional agitation. The shape of the bin and agitation prevents clumping and assists in delivering ice conveniently at the touch of a button. The DB Series cube dispenser accommodates the Hoshizaki KM series crescent cubers and features a child-safety mechanism which disengages the agitator should a foreign object be inserted into the chute. The DKM hotel dispenser is the only one-piece design available to the market and is 35% quieter than other hotel dispensers. The DCM Series dispenses both cubelet ice and water. The easy to chew, dry cubelet ice is produced and stored in a sanitary built-in storage bin. The DCM Opti-Serve™ Series offers a hands-free operation, eliminating the possibility of cross-contamination. **OPTI-SERVE**

Hoshizaki Ice Machines and Dispensers also feature H-GUARD Plus Antimicrobial Agent.



**KML-45 IMAH
DB-200H**



DKM-500BAH



DCM-270BAH



BD-300SF

MODEL	DIMENSIONS (W x D x H)	PRODUCTION	APPLICATION CAPACITY
DB, DCM, DKM and DM SERIES DISPENSERS			
DB-130H	22" x 30" x 53"*	-	130 lbs.
DB-200H	30" x 30" x 53"*	-	200 lbs.
DKM-500B_H	30" x 28" x 77"*	A - 466, W - 455 lbs.	200 lbs.
DM-200B	30" x 28" x 36 1/2"	-	200 lbs.

*height includes 6" legs

MODEL	DIMENSIONS (W x D x H)	CONDENSER	PRODUCTION
DCM SERIES CUBELET DISPENSERS			
DCM-270BAH	16 9/16" x 24 3/16" x 31 7/8"*	A	282 lbs.
DCM-300BAH	26" x 22 1/2" x 40"	A	321 lbs.
DCM-500B_H	26" x 22 1/2" x 40"	A,W	618, 567 lbs.
DCM-751B_H	34 1/16" x 28 1/2" x 48 1/16"	A,W	801, 800 lbs.

*height includes 4" legs

DCM OPTI-SERVE™ SERIES CUBELET DISPENSERS			
DCM-270BAH-OS	16 9/16" x 24 1/8" x 31 11/16"*	A	288 lbs.
DCM-300BAH-OS	26" x 22 1/2" x 40"	A	321 lbs.
DCM-500B_H-OS	26" x 22 1/2" x 40"	A,W	618, 567 lbs.
DCM-751B_H-OS	34 1/16" x 28 1/2" x 48 1/16"	A,W	801, 800 lbs.

*height includes 4" legs

Hoshizaki ice storage bins are available with stainless steel or vinyl clad exterior for easy cleaning and long lasting attractive appearance. The sturdy construction and non-corrosive bin liner provides safe, sanitary storage of ice for side-by-side or stacked installations. Foamed-in-place polyurethane insulation in all bin walls, and bottoms, provide dependable ice storage. H-GUARD Plus Antimicrobial Agent adds extra protection to the scoop.

PF, SF and SS SERIES BINS			
B-250PF	30" x 32 1/2" x 33 3/8"	P	250 lbs.
B-300_F / BD-300_F	22" x 32 1/2" x 46"	P,S	300 lbs.
B-500_F / BD-500_F	30" x 32 1/2" x 46"	P,S	500 lbs.
B-700_F	44" x 32 1/2" x 46"	P,S	700 lbs.
B-800_F	48" x 32 1/2" x 46"	P,S	800 lbs.
B-900_F	52" x 32 1/2" x 46"	P,S	900 lbs.
B-1150SS	48" x 41" x 60"	S	1150 lbs.
B-1300SS	48" x 41" x 66"	S	1275 lbs.
B-1500SS	60" x 41" x 62"	S	1500 lbs.
B-1650SS	60" x 41" x 66"	S	1605 lbs.

*depth includes door assembly

P = POLYVINYL S = STAINLESS STEEL

COMMERCIAL SERIES



Hoshizaki's Commercial Series offers superior features: advanced refrigeration systems, unique doors and wall thickness, ease of install and the best warranty in the industry – Hoshizaki delivers proven benefits!



CRIB-FGY



CR2B-FS



CRMR27-D



CRMR48-W



CRMR72-18

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
REFRIGERATORS and FREEZERS			
CRIB-FS(L)	1-Section Refrigerator	27 1/2" x 33 9/16" x 79 5/8"*27	23.3 ft ³
CRIB-HS(L)	1-Section Refrigerator w/Half height Doors	1/2" x 33 9/16" x 79 5/8"*27 1/2"	23.3 ft ³
CRIB-FGY	1-Section Refrigerator w/Full height Glass Door	x 34 13/16" x 79 5/8"*	23.3 ft ³
CR2B-FS	2-Section Refrigerator	55" x 33 9/16" x 79 5/8"*	51.0 ft ³
CR2B-HS	2-Section Refrigerator w/Half height Doors	55" x 33 9/16" x 79 5/8"*	51.0 ft ³
CR2B-FGY	2-Section Refrigerator w/Full height Glass Doors	55" x 34 13/16" x 79 5/8"*	51.0 ft ³
CR3B-FS	3-Section Refrigerator	83" x 33 9/16" x 79 5/8"*	74.3 ft ³
CR3B-HS	3-Section Refrigerator w/Half height Doors	83" x 33 9/16" x 79 5/8"*	74.3 ft ³
CR3B-FGY	3-Section Refrigerator w/Full height Glass Doors	83" x 34 13/16" x 79 5/8"*	74.3 ft ³
CFIB-FS(L)	1-Section Freezer	27 1/2" x 33 9/16" x 79 5/8"*27	23.3 ft ³
CFIB-HS(L)	1-Section Freezer w/Half height Doors	1/2" x 33 9/16" x 79 5/8"*27 1/2"	23.3 ft ³
CFIB-FG	1-Section Freezer w/Full height Glass Door	x 34 13/16" x 79 5/8"*	23.3 ft ³
CF2B-FS	2-Section Freezer	55" x 33 9/16" x 79 5/8"*	51.0 ft ³
CF2B-HS	2-Section Freezer w/Half height Doors	55" x 33 9/16" x 79 5/8"*	51.0 ft ³
CF2B-FG	2-Section Freezer w/Full height Glass Doors	55" x 34 13/16" x 79 5/8"*	51.0 ft ³
CF3B-FS	3-Section Freezer	83" x 33 9/16" x 79 5/8"*	74.3 ft ³
CF3B-HS	3-Section Freezer w/Half height Doors	83" x 33 9/16" x 79 5/8"*	74.3 ft ³

(L - Left Hand Hinge)

*height includes 4" casters

COMPACT UNDERCOUNTER REACH-IN REFRIGERATOR

HR24A	1-Section Undercounter Refrigerator	23 3/8" x 24 1/2"* x 32 11/16"	4.0 ft ³
-------	-------------------------------------	--------------------------------	---------------------

*height includes legs

UNDERCOUNTERS and WORKTOPS

CRMR27(-01)(-LP†)(-D)	1-Section Undercounter Refrigerator	27" x 30" x 33 5/8"*†	7.2 ft ³
CRMR48(-01)(-D4)	2-Section Undercounter Refrigerator	48" x 30" x 33 5/8"*	13.66 ft ³
CRMR60	2-Section Undercounter Refrigerator	60" x 30" x 33 5/8"*	17.55 ft ³
CRMR72	3-Section Undercounter Refrigerator	72" x 30" x 33 5/8"*	21.25 ft ³
CRMF27(-01)(-LP†)(-D)	1-Section Undercounter Freezer	27" x 30" x 33 5/8"*†	7.2 ft ³
CRMF48(-01)	2-Section Undercounter Freezer	48" x 30" x 33 5/8"*	13.66 ft ³
CRMF60	2-Section Undercounter Freezer	60" x 30" x 33 5/8"*	17.55 ft ³
CRMR27-W(01)(D)	1-Section Worktop Refrigerator	27" x 30" x 40"*	7.2 ft ³
CRMR48-W(01)(D4)	2-Section Worktop Refrigerator	48" x 30" x 40"*	13.66 ft ³
CRMR60-W	2-Section Worktop Refrigerator	60" x 30" x 40"*	17.55 ft ³
CRMR72-W	3-Section Worktop Refrigerator	72" x 30" x 40"*	21.25 ft ³
CRMF27-W(01)(D)	1-Section Worktop Freezer	27" x 30" x 40"*	7.2 ft ³
CRMF48-W(01)	2-Section Worktop Freezer	48" x 30" x 40"*	13.66 ft ³
CRMF60-W	2-Section Worktop Freezer	60" x 30" x 40"*	17.55 ft ³

(-01 - Cylinder Door Lock, Additional Cost) †(-LP - Low Profile, 32 5/16"H) (-D - w/Drawers) *height includes 4" casters **height includes 6" casters

SANDWICH TOP and MEGA TOP PREP TABLES

CRMR27-8(D) (8 pans)	1-Section Refrigerated Sandwich Top Prep Table	27" x 30" x 45 1/4"*	7.2 ft ³
CRMR48-8 (8 pans)	2-Section Refrigerated Sandwich Top Prep Table	48" x 30" x 45 1/4"*	13.66 ft ³
CRMR48-12(D4) (12 pans)	2-Section Refrigerated Sandwich Top Prep Table	48" x 30" x 45 1/4"*	13.66 ft ³
CRMR60-8 (8 pans)	2-Section Refrigerated Sandwich Top Prep Table	60" x 30" x 45 1/4"*	16.6 ft ³
CRMR60-12 (12 pans)	2-Section Refrigerated Sandwich Top Prep Table	60" x 30" x 45 1/4"*	16.6 ft ³
CRMR60-16 (16 pans)	2-Section Refrigerated Sandwich Top Prep Table	60" x 30" x 45 1/4"*	16.6 ft ³
CRMR72-12 (12 pans)	3-Section Refrigerated Sandwich Top Prep Table	72" x 30" x 45 1/4"*	19.7 ft ³
CRMR72-16 (16 pans)	3-Section Refrigerated Sandwich Top Prep Table	72" x 30" x 45 1/4"*	19.7 ft ³
CRMR72-18 (18 pans)	3-Section Refrigerated Sandwich Top Prep Table	72" x 30" x 45 1/4"*	19.7 ft ³

*height includes 6" casters (-D - w/Drawers)

COMMERCIAL SERIES



CRMR27-12M



CRMR48-18MD4



CPT67

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
MEGA TOP PREP TABLES / with DRAWERS			
CRMR27-12M	(12 pans) 1-Section Refrigerated Mega Top Prep Table	27" x 30" x 45 1/4"*	7.2 ft ³
CRMR48-12M	(12 pans) 2-Section Refrigerated Mega Top Prep Table	48" x 30" x 45 1/4"*	13.66 ft ³
CRMR48-18M	(18 pans) 2-Section Refrigerated Mega Top Prep Table	48" x 30" x 45 1/4"*	13.66 ft ³
CRMR60-12M	(12 pans) 2-Section Refrigerated Mega Top Prep Table	60" x 31" x 45 1/4"*	16.6 ft ³
CRMR60-18M	(18 pans) 2-Section Refrigerated Mega Top Prep Table	60" x 31" x 45 1/4"*	16.6 ft ³
CRMR60-24M	(24 pans) 2-Section Refrigerated Mega Top Prep Table	60" x 31" x 45 1/4"*	16.6 ft ³
CRMR72-18M	(18 pans) 3-Section Refrigerated Mega Top Prep Table	72" x 31" x 45 1/4"*	19.7 ft ³
CRMR72-24M	(24 pans) 3-Section Refrigerated Mega Top Prep Table	72" x 31" x 45 1/4"*	19.7 ft ³
CRMR72-30M	(30 pans) 3-Section Refrigerated Mega Top Prep Table	72" x 31" x 45 1/4"*	19.7 ft ³
CRMR27-12MD*	(12 pans) 1-Section Refrigerated Mega Top Prep Table	27" x 30" x 45 1/4"*	7.2 ft ³
CRMR48-18MD4*	(18 pans) 2-Section Refrigerated Mega Top Prep Table	48" x 30" x 45 1/4"*	13.66 ft ³

height includes 6" casters Models with DRAWERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
PIZZA PREP TABLE / with DRAWERS			
CPT46	1-Section Refrigerated Pizza Prep Table	46" x 32 1/4" x 43 1/2"*	11.0 ft ³
CPT67	2-Section Refrigerated Pizza Prep Table	67" x 32 1/4" x 43 1/2"*	19.9 ft ³
CPT93	3-Section Refrigerated Pizza Prep Table	93" x 32 1/4" x 43 1/2"*	30.1 ft ³
CPT67-D4*	2-Section Refrigerated Pizza Prep Table	67" x 32 1/4" x 43 1/2"*	19.9 ft ³

height includes 6" casters Models with DRAWERS

PROFESSIONAL SERIES



Hoshizaki's Professional Series offers features and benefits such as stainless interior and exterior, advanced refrigeration systems, durable, thick doors, EverCheck® control center, and the best warranty in the industry equals ultimate performance in your kitchen.



FH2-SSB



RFH1-SSE-HSE



RFH2-SSB-HS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
REFRIGERATORS and FREEZERS			
RH1-SSE-FS	1-Section Refrigerator	27 1/2" x 33 5/8" x 82 1/2"*	22.3 ft ³
RH1-SSE-HS	1-Section Refrigerator w/Half height Doors	27 1/2" x 33 5/8" x 82 1/2"*	22.3 ft ³
RH1-SSE-FG	1-Section Refrigerator w/Glass Door	27 1/2" x 33 5/8" x 82 1/2"*	22.3 ft ³
RH1-SSE-HG	1-Section Refrigerator w/Half height Glass Doors	27 1/2" x 33 5/8" x 82 1/2"*	22.3 ft ³
RH2-SSE-FS	2-Section Refrigerator	55" x 33 5/8" x 82 1/2"*	48.0 ft ³
RH2-SSE-HS	2-Section Refrigerator w/Half height Doors	55" x 33 5/8" x 82 1/2"*	48.0 ft ³
RH2-SSE-FG	2-Section Refrigerator w/Half height Glass Doors	55" x 33 5/8" x 82 1/2"*	48.0 ft ³
RH3-SSE-FS	3-Section Refrigerator	82 1/2" x 33 5/8" x 82 1/2"*	74.0 ft ³
RH3-SSE-HS	3-Section Refrigerator w/Half height Doors	82 1/2" x 33 5/8" x 82 1/2"*	74.0 ft ³
RH3-SSB-FG	3-Section Refrigerator w/Glass Doors	82 1/2" x 33 5/8" x 82 1/2"*	74.0 ft ³
RH3-SSB-HG	3-Section Refrigerator w/Half height Glass Doors	82 1/2" x 33 5/8" x 82 1/2"*	73.6 ft ³
FH1-SSB	1-Section Freezer	27 1/2" x 33 5/8" x 82 1/2"*	22.3 ft ³
FH1-SSB-HD	1-Section Freezer w/Half height Doors	27 1/2" x 33 5/8" x 82 1/2"*	22.3 ft ³
FH2-SSB	2-Section Freezer	55" x 33 5/8" x 82 1/2"*	48.0 ft ³
FH2-SSB-HD	2-Section Freezer w/Half height Doors	55" x 33 5/8" x 82 1/2"*	48.0 ft ³

*height includes 4" casters

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
DUAL TEMP REFRIGERATORS and FREEZERS			
RFH1-SSB-HSE	1-Section Dual Temp	27 1/2" x 33 5/8" x 78"***	R 9.1 ft ³ • F 10.5 ft ³
RFH1-SSB-HS	1-Section Dual Temp	27 1/2" x 33 5/8" x 82 1/2"*	R 9.1 ft ³ • F 10.5 ft ³
RFH2-SSB	2-Section Dual Temp	55" x 33 5/8" x 82 1/2"*	R 22.3 ft ³ • F 22.3 ft ³
RFH2-SSB-HS	2-Section Dual Temp w/Half height Doors	55" x 33 5/8" x 82 1/2"*	R 22.3 ft ³ • F 22.3 ft ³
RFH3-SSB	3-Section Dual Temp	82 1/2" x 33 5/8" x 82 1/2"*	R 48.0 ft ³ • F 22.3 ft ³
RFH3-SSB-HS	3-Section Dual Temp w/Half height Doors	82 1/2" x 33 5/8" x 82 1/2"*	R 48.0 ft ³ • F 22.3 ft ³

*height includes 4" casters ***height includes 6" casters

PROFESSIONAL SERIES



PTR2SSB-FGFG



RIR1-SSB



HH1-SSB-FS



HPR72A

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
PASS THRU REFRIGERATORS			
PTRISSE-HGHS	1-Section Pass Thru	27 1/2" x 35 7/8" x 82 1/2"*	23.8 ft ³
PTRISSE-FGFG	1-Section Pass Thru w/Full height Glass Doors	27 1/2" x 35 7/8" x 82 1/2"*	23.8 ft ³
PTRISSE-HGHG	1-Section Pass Thru w/Half height Glass Doors	27 1/2" x 35 7/8" x 82 1/2"*	23.8 ft ³
PTRISSE-FSFS	1-Section Pass Thru w/Full height Doors	27 1/2" x 35 7/8" x 82 1/2"*	23.8 ft ³
PTRISSE-HSHS	1-Section Pass Thru w/Half height Doors	27 1/2" x 35 7/8" x 82 1/2"*	23.8 ft ³
PTR2SSB-FGFG	2-Section Pass Thru w/Full height Glass Doors	55" x 35 7/8" x 82 1/2"*	51.3 ft ³
PTR2SSB-HGHG	2-Section Pass Thru w/Half height Glass Doors	55" x 35 7/8" x 82 1/2"*	51.3 ft ³
PTR2SSE-FSFS	2-Section Pass Thru w/Full height Doors	55" x 35 7/8" x 82 1/2"*	51.3 ft ³
PTR2SSE-HSHS	2-Section Pass Thru w/Half height Doors	55" x 35 7/8" x 82 1/2"*	51.3 ft ³

*height includes 4" casters

ROLL-IN REFRIGERATORS			
RIR1-SSB	1-Section Roll-In Refrigerator	35" x 38 11/16"* x 90 1/2"	37.7 ft ³
RIR2-SSB	2-Section Roll-In Refrigerator	68" x 38 11/16"* x 90 1/2"	72.66 ft ³

*depth includes 3 5/8" for Ramp

HOT FOOD HOLDING CABINETS			
HH1-SSB-FS	1-Section Heated Cabinet	27 1/2" x 33 3/4"* x 84 1/2"	24.9 ft ³
HH1-SSB-HS	1-Section Heated Cabinet w/Half height Doors	27 1/2" x 33 3/4"* x 84 1/2"	24.9 ft ³

*height includes 5" casters

UNDERCOUNTERS and WORKTOPS			
HUR40A(-D)	1-Section Undercounter Refrigerator	40 1/4" x 32 5/16" x 33 7/8"*	8.5 ft ³
HUR68A(-D)	2-Section Undercounter Refrigerator	68" x 32 5/16" x 33 7/8"*	18.8 ft ³
HUR96A(-D)	3-Section Undercounter Refrigerator	95 13/16" x 32 5/16" x 33 7/8"*	29.1 ft ³
HUF40A(-D)	1-Section Undercounter Freezer	40 1/4" x 32 5/16" x 33 7/8"*	8.5 ft ³
HUF68A(-D)	2-Section Undercounter Freezer	68" x 32 5/16" x 33 7/8"*	18.8 ft ³
HWR40A(-D)	1-Section Worktop Refrigerator	40 1/4" x 32 5/16" x 39 7/8"*	8.5 ft ³
HWR68A(-D)	2-Section Worktop Refrigerator	68" x 32 5/16" x 39 7/8"*	18.8 ft ³
HWR96A(-D)	3-Section Worktop Refrigerator	95 13/16" x 32 5/16" x 39 7/8"*	29.1 ft ³
HWF40A(-D)	1-Section Worktop Freezer	40 1/4" x 32 5/16" x 39 7/8"*	8.5 ft ³
HWF68A(-D)	2-Section Worktop Freezer	68" x 32 5/16" x 39 7/8"*	18.8 ft ³

(-D - w/Drawers) *height includes 4" casters **height includes 6" casters

REFRIGERATED PREP TABLES with RAISED RAIL			
HPR46A(-D)	1-Section Refrigerated Prep Table	46" x 32 5/16" x 44 13/18"*	8.5 ft ³
HPR72A(-D)	2-Section Refrigerated Prep Table	72" x 32 5/16" x 44 13/18"*	18.8 ft ³

(-D - w/Drawers) *height includes 4" casters

DISPLAY CASES and WAREWASHERS



The Hoshizaki HNC refrigerated display case provides an attractive display for many types of food products, including pastries and sushi. The new design features a 10% increase in storage capacity. These units are self-contained with an air-cooled refrigeration system and are easy to install, just plug it into a 115v outlet. The HNC refrigerated cases are NSF Standard 7 and UL approved for use as a service cabinet.



MODEL	DIMENSIONS (W x D x H)	CONDENSER	PRODUCTION
DISPLAY CASES			
HNC-120BA-R(L)-S	47 1/4" x 13 5/8" x 11"	A	-
HNC-150BA-R(L)-S	59 1/16" x 13 5/8" x 11"	A	-
HNC-180BA-R(L)-S	70 7/8" x 13 5/8" x 11"	A	-
HNC-210BA-R(L)-S	82 11/16" x 13 5/8" x 11"	A	-

A = AIR



HNC-210BA-R-S



A Superior Degree of Reliability

©2015 Hoshizaki America, Inc.
www.hoshizakiamerica.com | (800) 438-6087
Item #40071 | 1/26/2015

